




YAZOO

Parts Manual for


SV26B-3 & SV26KI-3 SERIES 26" BIG WHEEL MOWER



Professional Quality Lawn Care Equipment
since 1945

Yazoo Manufacturing Company's policy is to improve its products whenever it is possible and practical to do so. In an effort to keep pace with changes in technology, Yazoo reserves the right to make changes or improvements at any time without incurring any obligation to make such changes on products previously manufactured.


HANDLE ASSEMBLY




HANDLE ASSEMBLY

ITEM PART NO. DESCRIPTION

| | | |
|-----|----------|---|
| 1 | 0309-169 | Cable, Blade Brake |
| 2 | 0209-032 | HHCS, 1/4 C x 1-1/4 |
| 3 | 1401-009 | Nut, 1/4 C Cenlk (3) |
| 4 | 1401-001 | Nut, #10-24 (2) |
| 5 | 2301-001 | Washer, 3/16 Lock (2) |
| 6 | 1201-126 | Weldm't, Blade Engaging |
| 7 | 0301-168 | Control, Blade Brk. |
| 8 | 0801-553 | Handle Assembly |
| 9 | 0303-004 | Cap, Tube 7/8 |
| 10 | 0703-036 | Grip, Handle Ribbed (2) |
| 11 | 1604-086 | Pin, Ctr 3/32 x 1/2 (2) |
| 12 | 1201-015 | Lever, FSP Engagement |
| 13 | 0215-026 | Bushing, 5/8 x 1/2 |
| 14 | 1808-141 | Rod |
| 15 | 1401-020 | Nut, 5/16C Hex |
| 16 | 2501-027 | Yoke, Rod 5/16 |
| 17 | 1604-013 | Pin, Clevis |
| 18 | 1604-002 | Pin, Cotter 3/32 x1 |
| 19 | 1401-021 | Nut, 5/16C Cenloc (4) |
| 20 | 0209-151 | HHCS, 1/4 C x 2-1/4 |
| 21 | 2301-003 | Washer, 1/4 Lock |
| 22 | 1401-010 | Nut, 1/4C Hex |
| 23 | 0705-034 | Guide, Rope |
| 24 | 0209-050 | Bolt, 1/4 x 2 |
| 25 | 0209-114 | HHCS, 5/16x1" G5 (2) |
| 26 | 0307-027 | Clamp, Cable (2) |
| 27 | 0309-020 | Clip |
| 28 | 0301-075 | Cable, Throttle Control (For SV26KI-3 Only) |
| 28A | 0301-064 | Cable, Throttle Control (For SV26B-3 Only) |
| 29 | 0209-108 | HHCS, 5/16Cx3/4 G5 (2) |
| 30 | 2301-021 | Washer, 5/16 Flat |
| 31 | 0208-007 | RHMS, 10-24x1.25 (2) |
| 32 | 0401-376 | Decal, Traction Drive Control |
| 33 | 0401-377 | Decal, Blade Brake Control |




MOWER DECK ASSEMBLY



MOWER DECK ASSEMBLY

| ITEM | PART NO. | DESCRIPTION |
|------|----------|----------------------------|
| 1 | 0804-034 | Hood, SV26 |
| 2 | 1401-010 | Nut, 1/4C Hex (5) |
| 3 | 2301-003 | Washer, 1/4 Lock (5) |
| 4 | 2301-020 | Washer, 1/4 Flat (7) |
| 5 | 0209-032 | HHCS, 1/4 C x 1-1/4 (2) |
| 6 | 0209-021 | HHCS, 1/4 C x 3/4 G5 (3) |
| 7 | 1806-147 | Ring, Snap 2-1/8 D.(2) |
| 8 | 0204-060 | Bearing, Hub(2) |
| 9 | 1904-295 | Shaft, Hub |
| 10 | 2301-004 | Washer, 5/16 Lock (6) |
| 11 | 0806-234 | Housing, Hub |
| 12 | 0101-163 | Adapter, Blade |
| 13 | 1918-007 | Strap, Drg Flp Hngr (2) |
| 14 | 0303-021 | Cap, Drag Flap (2) |
| 15 | 1808-182 | Rod, Drag Flap |
| 16 | 0609-014 | Flap, Drag |
| 17 | 0209-528 | HHCS, 1/2 F x 2-1/2 G5 (2) |
| 18 | 2302-023 | Wheel (2) |
| 19 | 1401-050 | Nut, 1/2F Hex Jam (4) |
| 20 | 0209-114 | HHCS, 5/16 C x 1 G5 (6) |
| 21 | 1401-071 | Nut, 5/8 F Hex |
| 22 | 2301-010 | Washer, 5/8 Lock |
| 23 | 2301-096 | Washer, Cup 5/8 Spg |
| 24 | 0206-626 | Blade, 26" |
| 25 | 1906-021 | Shield, Hub |
| 26 | 2301-008 | Washer, 1/2 Lock (2) |
| 27 | 0209-338 | HHCS, 3/8 C x 2 G5 |
| 28 | 2301-022 | Washer, 3/8 Flat (8) |
| 29 | 0605-481 | Frame, WLDT |
| 30 | 0306-012 | Guard, Chute S-24/26 |
| 31 | 1916-036 | Spring, Chute |
| 32 | 1604-086 | Pin, Cotter 3/32 x 1/2 |
| 33 | 0209-331 | Bolt, 3/8-16 x1-3/4 |
| 34 | 1102-013 | Key, Woodruff |
| 35 | 1604-043 | Pin, Clevis |
| 36 | 0102-156 | Arm. Idler |
| 37 | 1916-183 | Spring, Exp Brake |
| 38 | 1913-088 | Spacer, Brake Band (2) |
| 39 | 1913-078 | Spacer, Pulley |
| 40 | 1913-077 | Spacer, Idler Pulley |
| 41 | 1608-095 | Pulley, Idler |
| 42 | 2301-006 | Washer, 3/8 Lock |
| 43 | 1401-030 | Nut, 3/8 C Hex (2) |
| 44 | 1608-163 | Pulley, Spindle |
| 45 | 1608-118 | Pulley, Brake Drum |
| 46 | 1102-023 | Key, Sq. .18x2.125 |
| 47 | 0217-027 | Brake, Band |
| 48 | 1401-031 | Nut 3/8 C Cenlock (2) |
| 49 | 2301-095 | Washer, Flat (2) |
| 50 | 0808-029 | Hub, Assembly |
| 51 | 1401-020 | Nut, 5/16 C Hex (6) |

DRIVE & HEIGHT ADJUSTMENT ASSEMBLY



DRIVE & HEIGHT ADJUSTMENT ASSEMBLY

| ITEM | PART NO. | DESCRIPTION | ITEM | PART NO. | DESCRIPTION |
|------|----------|----------------------------|------|-----------|----------------------------|
| 1 | 1901-234 | Screw, S.T. #10x5/16" * | 31 | 0102-205 | Arm, Pivot Friction (2) |
| 2 | 0408-009 | Deflector, Muffler * | 32 | 1803-007 | Rachet, R.H. |
| 3 | 1901-235 | HWST, 10-24 x 3/4 (3)* | 33 | 0405-005* | Driver (2) |
| 4 | 1604-086 | Pin, Cotter 3/32 x 1/2 (4) | 34 | 1913-095 | Spacer, End (2) |
| 5 | 2301-021 | Washer, 5/16 Flat (8) | 35 | 1916-013 | Spring, Rachet (2) |
| 6 | 1808-312 | Rod-Pull FSP (2) | 36 | 1604-007 | Pin, Spine (2) |
| 7 | 1101-022 | Guide, Belt | 37 | 1604-013 | Pin, 5/16x1-1/4 Clevis (2) |
| 8 | 2301-004 | Washer, 5/16 Lock (9) | 38 | 0204-182 | Bearing, Flange (2) |
| 9 | 0209-832 | HHCS, 8mm x 25mm (4)* | 39 | 0209-089 | HWST, 3/8 C x 7/8 (4) |
| 10 | 1102-002 | Key, Sq. 1/4 x 1.00 | 40 | 1917-014 | Sprocket, 36 Tooth |
| 11 | 1608-413 | Pulley, Eng | 41 | 1803-008 | Rachet, L.H. |
| 12 | 0205-541 | Belt, Blade | 42 | 2501-027 | Yoke, Rod 5/16 (2) |
| 13 | 1901-009 | SHSS, .312Cx.31 (4) | 43 | 1916-183 | Spring, Exp Brake |
| 14 | 1901-011 | Screw, S 5/16x5/16NF(6) | 44 | 1401-020 | Nut, 5/16C Hex (9)*(5)*** |
| 15 | 0305-025 | Chain, FSP | 45 | 0209-135 | HHCS, 5/16Cx1-3/4 (4)*** |
| 16 | 1401-021 | Nut, 5/16 C Lock (2) | 46 | 2301-020 | Washer, 1/4 Flat (6) |
| 17 | 2003-010 | Tire/Tube, 20" Knob (2) | 47 | 1105-013 | Kit, Mag. Wheel |
| 18 | 0315-010 | Cup, Wheel Bearing (4) | 48 | 0806-033 | Housing, Fric. Shaft Assy. |
| 19 | 2302-099 | Wheel, Mag 20 (2) | 49 | 0401-110 | Decal, Chute Warning |
| 20 | 0214-178 | Brk't., Cable Anchor | 50 | 0401-111 | Decal, Danger Cut |
| 21 | 0209-108 | HHCS, 5/15Cx3/4 G5 | 51 | 0401-410 | Decal, Yazoo |
| 22 | 1917-012 | Sprocket, FSP | 52 | 0401-338 | Decal, 26" Self/Prop |
| 23 | 1604-014 | Pin, 3/16 x 1 1/4 Roll (4) | 53 | 0401-118 | Decal, Made in USA |
| 24 | 0204-045 | Bearing, Water Pump | 54 | 0401-220 | Decal, OPEI Safety |
| 25 | 1608-166 | Pulley, Friction Drive | 55 | 0401-404 | Decal, Serial Plate |
| 26 | 0205-551 | Belt, Friction Drive | 56 | E-265 | Eng., Kawasaki 9HP |
| 27 | 1904-071 | Shaft, FSP | 56A | E-266 | Eng., Briggs 8.5HP |
| 28 | 1913-301 | Spacer, (3) * | 57 | 0214-193 | Brk't, Friction Assy. |
| 29 | 2301-095 | Washer, Flat (2) | 58 | 0209-114 | HHCS, 5/16 X 1 G5 (2) |
| 30 | 0212-025 | Bolt, Shoulder 7/16" (2) | 59 | 0401-406 | Decal, Clear |
| | | | 60 | 2201-042 | Valve, Oil Drain |

* Use on model SV26KI-3 only.

** Use on model SV26B-3 only.

1. This Limited One-Year Warranty is issued by Yazoo Manufacturing Company, Inc., only to the original purchaser. If Yazoo equipment is leased by Yazoo, this warranty shall extend also to the original lessee as if such lessee were the original owner.
2. Yazoo warranties that all new equipment manufactured by Yazoo (Yazoo Products) shall be free of defects in material and workmanship for the term described in paragraph 4 below. Except as herein-after provided, this warranty does not cover any engine forming a part of the Yazoo product. Engines are covered by and subject to separate warranties of the manufacturers thereof.
3. In the event that any Yazoo Product warranted hereunder shall be defective or fail to conform with this warranty, Yazoo shall, subject to the provisions hereof, pay for, or provide labor and materials for, the repair or replacement of such defective Yazoo Product.
4. This warranty is for one year (12 months) from purchase date for Yazoo products.
5. To obtain Warranty Service on a Yazoo Product use this procedure:
 - a. Locate the nearest Yazoo dealer.
 - b. If you have moved notify any Yazoo dealer in your area. You must be able to confirm purchase date to validate your warranty.
 - c. Make arrangements to have the equipment delivered to the dealer (refer to paragraph 6a).
 - d. If you have questions concerning the Yazoo Limited Warranty, they should be referred to:

Yazoo Manufacturing Company, Inc.
P.O. Box 4449 / Jackson, Mississippi 39296
Attn.: Customer Service Department
1 (800) 723-9496
 - e. Warranty service on Yazoo Products must be performed by an authorized Yazoo dealer.
6. This warranty does not cover the following:
 - a. Transportation to the Yazoo dealership, (If the Yazoo dealer provides transportation he will charge for such service).
 - b. Normal maintenance services and normal maintenance items such as tires, brakes, brake shoes, spark plugs, belts, oil, air filters, mower blades, gauge wheels, skids and other wear items.
 - c. Any Yazoo Product which has been altered or modified in any way.
 - d. Any repair or replacement occasioned by customer neglect or lack of maintenance. (The purchaser is responsible for making sure that Yazoo Products are operated and serviced as directed in the applicable manual or service instruction. Incorrect use or maintenance will void this Warranty).
 - e. Any repair occasioned by the use of any attachment not approved by Yazoo (The use of any such attachment will void this Warranty).
7. YAZOO MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, OR WARRANTIES AS TO THE MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ALL WARRANTIES ARE LIMITED IN DURATION TO THE TERMS SET OUT IN PARAGRAPH 4, ABOVE. YAZOO SHALL HAVE NO LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE BREACH OF ANY WARRANTY, INCLUDING, BUT NOT LIMITED TO, LIABILITY FOR INCONVENIENCE, RENTAL OR PURCHASE OF REPLACEMENT EQUIPMENT, OR FOR LOSS OF PROFITS OR OTHER COMMERCIAL LOSS. SOME STATES DO NOT ALLOW A LIMITATION ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE STATEMENT MAY NOT APPLY TO YOU. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU.
8. This Warranty is not subject to change or modification by anyone, including Yazoo dealers, and no Yazoo dealer is authorized to make any representations on behalf of Yazoo Manufacturing Company, Inc.